

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	166	operation with sweep with loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:36
S2	1	operation with sweep with loop with configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:36
S3	7	operation with sweep with loop with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:37
S4	6	(operation or function or performance) with sweep adj loop with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:42
S5	11	(operation or function or performance) with sweep adj loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:42
S7	2	("4259740").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 10:43
S8	12	(operation or function or performance) with sweep\$3 adj loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:46

S9	66	sweep\$3 adj loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:47
S10	6	signal with (analyz\$3 or analys\$3) with sweep\$3 adj loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:47
S11	1206	signal with (analyz\$3 or analys\$3) with sweep\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:50
S12	6	signal with (analyz\$3 or analys\$3) with sweep\$3 with GUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:50
S13	6	signal with (analyz\$3 or analys\$3) with sweep\$3 with (graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:50
S14	6	signal with (analyz\$3 or analys\$3) with sweep\$3 same (graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:50
S15	6	signal with (analyz\$3 or analys\$3) with sweep\$3 same (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:51
S16	92	signal with (analyz\$3 or analys\$3) with sweep\$3 and (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:51

S17	52	signal with (analyz\$3 or analys\$3) with sweep\$3 and (user with interface or graphical adj user adj interface or GUI) and user with input\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:51
S18	6	signal with (analyz\$3 or analys\$3) with sweep\$3 with user with input\$4 and (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:52
S19	14	signal with (analyz\$3 or analys\$3) same sweep\$3 with user with input\$4 and (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 10:52
S20	27	signal with (analyz\$3 or analys\$3) and (swept or sweep\$3) with user with input\$4 and (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 11:11
S21	13	signal with (analyz\$3 or analys\$3) and (swept or sweep\$3) with user with input\$4 and (user with interface or graphical adj user adj interface or GUI) not S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 11:12
S22	393	702/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 11:27
S23	1312	702/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 11:27
S24	1	signal with (analyz\$3 or analys\$3) same (sweep\$3 with user with input\$4).clm. and (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 11:39

S25	3	signal with (analyz\$3 or analys\$3) and (sweep\$3 with user with input\$4).clm. and (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 11:40
S26	487	324/76.19.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 11:52
S27	284	324/613.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 13:00
S28	125	324/614.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 13:04
S29	120	324/76.22.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:17
S30	219	324/76.23.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:17
S31	121	324/76.27.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:17
S32	634	324/76.39.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:17

S33	362	324/76.52.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:17
S34	145	324/76.53.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:18
S35	445	324/76.77.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 14:18
S36	13	"4831580" "5005119" "5481712" "5911070" "5940296" "6061602" "6167562" "6226783" "6288474" "6298474" "6408429" "6637022" "6763515").PN.	US-PGPUB; USPAT	OR	ON	2008/04/11 15:19
S37	0	"4831580" "5005119" "5481712" "5911070" "5940296" "6061602" "6167562" "6226783" "6288474" "6298474" "6408429" "6637022" "6763515").PN. and sweep\$3	US-PGPUB; USPAT	OR	ON	2008/04/11 15:19
S38	10	signal with (analyz\$3 or analys\$3) with sweep\$3 with filter\$3 and (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 15:28
S39	15	signal with (analyz\$3 or analys\$3) and sweep\$3 with filter\$3 with function and (user with interface or graphical adj user adj interface or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 15:36
S40	4	signal with (analyz\$3 or analys\$3) with sweep\$3 with (loop or repeat\$3 or iterat\$4) with filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:02
S41	1	signal with spectrum with (analyz\$3 or analys\$3) and sweep\$3 with (loop or repeat\$3 or iterat\$4) with operat\$3 with perform\$4 with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:08

S42	0	signal with spectrum with (analyz\$3 or analys\$3) and sweep\$3 with (loop or repeat\$3 or iterat\$4) with configuration with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:10
S43	1	signal with spectrum with (analyz\$3 or analys\$3) and sweep\$3 with (loop or repeat\$3 or iterat\$4) with operat\$3 with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:10
S44	1	spectrum with (analyz\$3 or analys\$3) and sweep\$3 with (loop or repeat\$3 or iterat\$4) with operat\$3 with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:11
S45	1	spectrum with (analyz\$3 or analys\$3) with sweep\$3 and (loop or repeat\$3 or iterat\$4) with perfor\$4 with operat\$3 with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:12
S46	1	spectrum with (analyz\$3 or analys\$3) with sweep\$3 and (loop or repeat\$3 or iterat\$4) with perfor\$4 with operat\$3 with parameter with (data or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:13
S47	1	spectrum with (analyz\$3 or analys\$3) with sweep\$3 and (loop or repeat\$3 or iterat\$4) with perform\$4 with operat\$3 with parameter with (data or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:13
S48	1	spectrum with (analyz\$3 or analys\$3) with sweep\$3 and (loop or repeat\$3 or iterat\$4) with operat\$3 with parameter with (data or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:14
S49	16	(analyz\$3 or analys\$3) with sweep\$3 and (loop or repeat\$3 or iterat\$4) with operat\$3 with parameter with (data or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:14

S50	13	signal with (analyz\$3 or analys\$3) with sweep\$3 and (loop or repeat\$3 or iterat\$4) with operat\$3 with parameter with (data or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:14
S51	7	signal with (analyz\$3 or analys\$3) with sweep\$3 and (loop or repeat\$3 or iterat\$4) with perform\$4 with operat\$3 with parameter with (data or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:14
S52	8	configuration with signal and (analyz\$3 or analys\$3) with sweep\$3 and (loop or repeat\$3 or iterat\$4) with operat\$3 with parameter with (data or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:17
S53	9	"6275020".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:24
S54	6	"6275020".uref. and sweep\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:24
S55	3	"6275020".uref. and sweep\$3 and configur\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:27
S56	525	702/190.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:30
S57	400	702/76.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:30

S58	369	702/75.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:31
S59	326	702/77.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:31
S60	520	341/61.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:33
S61	386	356/484.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:33
S62	350	356/451.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:33
S63	356	331/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:38
S64	660	331/167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:38
S65	243	331/166.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:38

S66	7	signal with (analyz\$3 or analys\$3) and (loop or repeat\$3 or iterat\$4) with (perform\$4 or operat\$4) with sweep\$3 with parameter with (data or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 10:42
S67	65	signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with operat\$4 with function and sweep with (loop or repeat\$3 or iterat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:15
S68	44	signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with function with operations and sweep with (loop or repeat\$3 or iterat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:16
S69	6	signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with function with operations and sweep with (loop or repeat\$3 or iterat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 12:16
S70	44	signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with function with operation and sweep with (loop or repeat\$3 or iterat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:16
S71	6	signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with function with operation and sweep with (loop or repeat\$3 or iterat\$4) with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:17
S72	6	signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with function with operation and sweep with (loop or repeat\$3 or iterat\$4) same parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:17
S73	42	signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with function with operation and sweep with (loop or repeat\$3 or iterat\$4) and parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:17

S74	39	signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with function with operation and sweep with (loop or repeat\$3 or iterat\$4) and sweep with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:18
S75	7	signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with function with operation with sweep and sweep with (loop or repeat\$3 or iterat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:21
S76	2	("4839583").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 12:23
S77	7	signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with function with operation same sweep and sweep with (loop or repeat\$3 or iterat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:33
S78	9	signal with (analyz\$3 or analys\$3) and sweep adj loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:35
S79	9	signal with (analyz\$3 or analys\$3) with sweep with loop with function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:36
S80	22	signal with (analyz\$3 or analys\$3) with sweep with loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:37
S81	3	signal with spectrum with (analyz\$3 or analys\$3) with sweep with loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:37

S82	0	signal with spectrum with (analyz\$3 or analys\$3) and sweep adj loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:38
S83	4	signal with spectrum with (analyz\$3 or analys\$3) and sweep adj (repeat or iterat\$4 or loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:38
S84	0	signal same spectrum with (analyz\$3 or analys\$3) and sweep adj loop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:40
S85	1	signal same spectrum with (analyz\$3 or analys\$3) and sweep\$3 adj loop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:40
S86	0	spectrum with (analyz\$3 or analys\$3) and sweep adj loop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:41
S87	69	signal same spectrum with (analyz\$3 or analys\$3) and (sweep with loop or sweep-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:42
S88	60	signal with spectrum with (analyz\$3 or analys\$3) and (sweep with loop or sweep-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:42
S89	0	signal with spectrum with (analyz\$3 or analys\$3) and (sweep with loop or sweep-loop) and (analyz\$3 or analys\$3) with function with operation same sweep	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:43

S90	19	signal with spectrum with (analyz\$3 or analys\$3) and (sweep with loop or sweep-loop) and display\$3 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:43
S91	0	signal with spectrum with (analyz\$3 or analys\$3) and (GUI or graphical with user with interface) with (sweep with loop or sweep-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:54
S92	0	signal with spectrum with (analyz\$3 or analys\$3) and (GUI or graphical with user with interface) same (sweep with loop or sweep-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:54
S93	0	signal with spectrum with (analyz\$3 or analys\$3) and (GUI or graphical with user with interface) and (sweep with loop or sweep-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:54
S94	0	signal same spectrum with (analyz\$3 or analys\$3) and (GUI or graphical with user with interface) and (sweep with loop or sweep-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:54
S95	8	spectrum with (analyz\$3 or analys\$3) and (GUI or graphical with user with interface) and (sweep with loop or sweep-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:55
S96	2	signal with spectrum with (analyz\$3 or analys\$3) and (sweep with loop or sweep-loop) with filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:57
S97	4	signal same spectrum with (analyz\$3 or analys\$3) and (sweep with loop or sweep-loop) with filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:58

S98	6	spectrum with (analyz\$3 or analys\$3) and (sweep with loop or sweep-loop) with filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 12:58
S99	11	"4839583".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 13:10
S100	3	"4839583".uref. and sweep with loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 13:11
S101	14	spectrum with (analyz\$3 or analys\$3) and (sweep with loop or sweep-loop) and network with analyzer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 13:21
S102	5	spectrum with (analyz\$3 or analys\$3) and (sweep with loop or sweep-loop) and network with analyzer and (microprocessor or processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 13:21
S103	43	signal with (analyz\$3 or analys\$3) and (GUI or graphical with user with interface) and sweep with (loop or repeat\$3 or iterat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:08
S104	10	spectrum with (analyz\$3 or analys\$3) and (GUI or graphical with user with interface) and sweep with (loop or repeat\$3 or iterat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:09
S105	0	signal same spectrum with (analyz\$3 or analys\$3) and (GUI or graphical with user with interface) and sweep with (loop or repeat\$3 or iterat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:10

S106	48	spectrum with (analyz\$3 or analys\$3) with sweep and (GUI or graphical with user with interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:18
S107	0	spectrum with (analyz\$3 or analys\$3) with sweep and (GUI or graphical with user with interface) and wizard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:19
S108	0	spectrum with (analyz\$3 or analys\$3) same sweep and (GUI or graphical with user with interface) and wizard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:19
S109	1	spectrum with (analyz\$3 or analys\$3) and sweep and (GUI or graphical with user with interface) and wizard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:20
S110	25	spectrum with (analyz\$3 or analys\$3) and sweep and (GUI or graphical with user with interface) and (iterat\$4 or repeat\$6) with display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 15:22
S111	1	spectrum with (analyz\$3 or analys\$3) and sweep and (GUI or graphical with user with interface) and wizard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 16:11
S112	0	spectrum with (analyz\$3 or analys\$3) and sweep and (GUI or graphical with user with interface) and sequence with dialog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 16:12
S113	5	spectrum with (analyz\$3 or analys\$3) and (GUI or graphical with user with interface) with wizard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/17 16:13

S114	554	702/190.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:34
S115	412	702/76.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:34
S116	389	702/75.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:34
S117	337	702/77.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:34
S118	414	702/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:35
S119	1425	702/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:35
S120	497	324/76.19.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:37
S121	123	324/76.22.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:37

S122	222	324/76.23.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 13:42
S124	637	324/76.39.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 20:03
S125	366	324/76.52.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 20:03
S126	148	324/76.53.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 20:03
S127	450	324/76.77.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 20:03
S128	542	341/61.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 20:07
S129	405	356/484.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 20:07
S130	370	356/451.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 20:08

S131	357	331/178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 20:08
S132	678	331/167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 20:08
S133	243	331/166.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 20:08
S134	292	324/613.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 20:10
S135	128	324/614.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 20:10
S136	8335	702/190,76,75,77,107,189.ccls. or 324/76.19,613,614,76.22,76.23,76.27,76.39,76.52,76.53,76.77.ccls. or 341/61.ccls. or 356/484,451.ccls. or 331/178,167,166.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 20:11
S137	14	S136 and signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with operat\$4 with function and sweep with (loop or repeat\$3 or iterat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 20:11
S138	1	S136 and signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with operat\$4 with function and sweep with (loop or repeat\$3 or iterat\$4)	US-PGPUB	OR	ON	2008/09/09 20:12
S139	8335	702/190,76,75,77,107,189.ccls. or 324/76.19,613,614,76.22,76.23,76.27,76.39,76.52,76.53,76.77.ccls. or 341/61.ccls. or 356/484,451.ccls. or 331/178,167,166.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 09:35

S140	14	S139 and signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with operat\$4 with function and sweep with (loop or repeat\$3 or iterat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 09:35
S141	1	S139 and signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with operat\$4 with function and sweep with (loop or repeat\$3 or iterat\$4)	US-PGPUB	OR	ON	2008/09/10 09:35
S142	2	S139 and signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with function with operations and sweep with (loop or repeat\$3 or iterat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 09:35
S143	0	S139 and signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with function with operations and sweep with (loop or repeat\$3 or iterat\$4)	US-PGPUB	OR	ON	2008/09/10 09:35
S144	1	S139 and signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with function with operation and sweep with (loop or repeat\$3 or iterat\$4) and parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 09:36
S145	1	S139 and signal with (analyz\$3 or analys\$3) and (analyz\$3 or analys\$3) with function with operation and sweep with (loop or repeat\$3 or iterat\$4) and sweep with parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 09:37
S146	24	S139 and signal same spectrum with (analyz\$3 or analys\$3) and (sweep with loop or sweep-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 09:37
S147	1	S139 and signal same spectrum with (analyz\$3 or analys\$3) and (sweep with loop or sweep-loop)	US-PGPUB	OR	ON	2008/09/10 09:37
S148	20	S139 and signal with spectrum with (analyz\$3 or analys\$3) and (sweep with loop or sweep-loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 09:37
S149	1	S139 and signal with spectrum with (analyz\$3 or analys\$3) and (sweep with loop or sweep-loop)	US-PGPUB	OR	ON	2008/09/10 09:37

S150	1	S139 and signal with (analyz\$3 or analys\$3) and (GUI or graphical with user with interface) and sweep with (loop or repeat\$3 or iterat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 09:38
S151	463	702/124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 09:41
S152	1394	345/440.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 09:42
S153	373	725/78.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 09:42
S154	318	725/117.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 09:42
S155	473	725/118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 09:42

9/10/08 9:46:08 AM

C:\Documents and Settings\CTsai\My Documents\EAST\Workspaces\10809109.wsp